

Registered pharmacy inspection report

Pharmacy name: Shilchem Ltd

Address: 217 Hinckley Road, LEICESTER, Leicestershire, LE3 0TG

Pharmacy reference: 1034075

Type of pharmacy: Community

Date of inspection: 10/09/2025

Pharmacy context and inspection background

This community pharmacy is situated just outside Leicester city centre. Its main activity is dispensing NHS prescriptions, some of which it delivers to people's homes. It also sells medicines over the counter and offers a range of services including the NHS Pharmacy First service, Hypertension case-finding service and Contraception service. It provides seasonal flu vaccinations. The pharmacy supplies medicines in multi-compartment compliance packs to people who need this support to help them take their medicines at the right time. It also supplies medicines to some people receiving substance misuse treatment. The pharmacy also offers a private weight loss service.

This was a routine inspection of the pharmacy which focused on the core Standards relating to patient safety. Not all the Standards were inspected on this occasion. The pharmacy was last inspected in October 2015.

Overall outcome: Standards met

Required Action: None

Follow this link to [find out what the inspections possible outcomes mean](#)

Standards that were met with areas for improvement

Standard 1.2

- The pharmacy has procedures in place to deal with dispensing incidents and near misses. They record them and review them as a team to try to learn from them. But they do not record the reviews so they may be missing opportunities to spot patterns or trends and take effective action to help prevent the same sort of things happening again.

Standard 1.6

- The pharmacy generally keeps all the records it needs to. But its records about private prescriptions don't always include the correct information about the prescriber. This could make dealing with a future query more difficult.

Standard 4.3

- Most medicines are stored appropriately in their original containers. But some blisters which are not used when a pack is opened are stored in a pack of the same medicine, but the pack has a different batch number and expiry date. These blisters may be missed during date checking and could make it harder for the pharmacy to respond effectively to queries or safety recalls.

Standard 5.2

- The pharmacy does not always use calibrated measuring cylinders. This means it cannot be certain it always supplies the correct volume of liquids.

Principle 1: The governance arrangements safeguard the health, safety and wellbeing of patients and the public

Summary outcome: **Standards met**

Table 1: Inspection outcomes for standards under principle 1

Standard	Outcome of individual standard	Area for improvement/ Area of good or excellent practice
1.1 - The risks associated with providing pharmacy services are identified and managed	Met	
1.2 - The safety and quality of pharmacy services are regularly reviewed and monitored	Met	Area for improvement
1.3 - Pharmacy services are provided by staff with clearly defined roles and clear lines of accountability	Met	
1.4 - Feedback and concerns about the pharmacy, services and staff can be raised by individuals and organisations, and these are taken into account and action taken where appropriate	Standard not inspected	
1.5 - Appropriate indemnity or insurance arrangements are in place for the pharmacy services provided	Met	
1.6 - All necessary records for the safe provision of pharmacy services are kept and maintained	Met	Area for improvement
1.7 - Information is managed to protect the privacy, dignity and confidentiality of patients and the public who receive pharmacy services	Met	
1.8 - Children and vulnerable adults are safeguarded	Met	

Principle 2: Staff are empowered and competent to safeguard the health, safety and wellbeing of patients and the public

Summary outcome: **Standards met**

Table 2: Inspection outcomes for standards under principle 2

Standard	Outcome of individual standard	Area for improvement/ Area of good or excellent practice
2.1 - There are enough staff, suitably qualified and skilled, for the safe and effective provision of the pharmacy services provided	Met	
2.2 - Staff have the appropriate skills, qualifications and competence for their role and the tasks they carry out, or are working under the supervision of another person while they are in training	Met	
2.3 - Staff can comply with their own professional and legal obligations and are empowered to exercise their professional judgement in the best interests of patients and the public	Met	
2.4 - There is a culture of openness, honesty and learning	Standard not inspected	
2.5 - Staff are empowered to provide feedback and raise concerns about meeting these standards and other aspects of pharmacy services	Standard not inspected	
2.6 - Incentives or targets do not compromise the health, safety or wellbeing of patients and the public, or the professional judgement of staff	Standard not inspected	

Principle 3: The environment and condition of the premises from which pharmacy services are provided, and any associated premises, safeguard the health, safety and wellbeing of patients and the public

Summary outcome: **Standards met**

Table 3: Inspection outcomes for standards under principle 3

Standard	Outcome of individual standard	Area for improvement/ Area of good or excellent practice
3.1 - Premises are safe, clean, properly maintained and suitable for the pharmacy services provided	Met	
3.2 - Premises protect the privacy, dignity and confidentiality of patients and the public who receive pharmacy services	Met	
3.3 - Premises are maintained to a level of hygiene appropriate to the pharmacy services provided	Standard not inspected	
3.4 - Premises are secure and safeguarded from unauthorized access	Met	
3.5 - Pharmacy services are provided in an environment that is appropriate for the provision of healthcare	Met	

Principle 4: The way in which pharmacy services, including management of medicines and medical devices, are delivered safeguards the health, safety and wellbeing of patients and the public

Summary outcome: **Standards met**

Table 4: Inspection outcomes for standards under principle 4

Standard	Outcome of individual standard	Area for improvement/ Area of good or excellent practice
4.1 - The pharmacy services provided are accessible to patients and the public	Met	
4.2 - Pharmacy services are managed and delivered safely and effectively	Met	
4.3 - Medicines and medical devices are: obtained from a reputable source; safe and fit for purpose; stored securely; safeguarded from unauthorized access; supplied to the patient safely; and disposed of safely and securely	Met	Area for improvement
4.4 - Concerns are raised when medicines or medical devices are not fit for purpose	Met	

Principle 5: The equipment and facilities used in the provision of pharmacy services safeguard the health, safety and wellbeing of patients and the public

Summary outcome: **Standards met**

Table 5: Inspection outcomes for standards under principle 5

Standard	Outcome of individual standard	Area for improvement/ Area of good or excellent practice
5.1 - Equipment and facilities needed to provide pharmacy services are readily available	Met	
5.2 - Equipment and facilities are: obtained from a reputable source; safe and fit for purpose; stored securely; safeguarded from unauthorized access; and appropriately maintained	Met	Area for improvement
5.3 - Equipment and facilities are used in a way that protects the privacy and dignity of the patients and the public who receive pharmacy services	Standard not inspected	

What do the summary outcomes for each principle mean?

Finding	Meaning
✓ Excellent practice	The pharmacy demonstrates innovation in the way it delivers pharmacy services which benefit the health needs of the local community, as well as performing well against the standards.
✓ Good practice	The pharmacy performs well against most of the standards and can demonstrate positive outcomes for patients from the way it delivers pharmacy services.
✓ Standards met	The pharmacy meets all the standards.
Standards not all met	The pharmacy has not met one or more standards.